
LOCKEIS Smart storage for dynamic working












Configuration diagram V2



5 MOST IMPORTANT FACTS:

- 1. Releezme enables successful dynamic working (must have)
- 2. Releezme saves space (less cabinets, less m²)
- 3. Releezme saves time (self-service by users)
- 4. Control who takes storage where, when and how (business rules, anti-claiming)
- 5. Facilitating amazing workplace design (no door handles, best in class locking system)

STORY WHICH CAN SELL:

Releezme smart storage facilitates and actively supports the implementation of dynamic working concepts. Deloitte has increased their office utilisation to 2700 people using 900 workstations and 800 lockers in Amsterdam. Accenture has reduced their paper storage by over 50% at their Frankfurt campus by actively monitoring team storage. Join our many large corporate customers in their war on waste!

VECOS RELEEZME SOFTWARE:

- App (iOS/Android)
- Grouping (Users and Lockers)
- Business and anti-claiming rules
- Automatic notifications via email and push on app
- Storage visualisation
- Automatic import mechanism (AD, file, SQL)
- Third party control integration (software, app)

VECOS LOCKING SYSTEM

- Highly reliable
- Push-to-open
- Height seeking door nose
- USB charger
- Inside locker lighting
- Status indicator LED outside (available/occupied) only V2 lock
- Integrated badge reader only V2 lock



Annual TECHO Gathering





Cupboard Locker MFC 4x door FT electronic locks VECOS MFC18

LTD - MFC	LTD - MFC	LTD - MFC	LTD - MFC
grey	beech	wild pear	white
008000045	008000050	008000052	008000070
388,36 €	388,36 €	388,36 €	388,36 €

- Always only one side of the cupboard is adapted to guide the cables.
- Four FT doors are modified according to the VECOS electronic lock type (with or without a diode).
- The plinth is not part of the cupboard. It has to be ordered separately.
- Electrical cables can be led from both the floor and the ceiling of the room.

Ex Works prices / EXW prices

The above is just one example of many possible configurations as per technical manual.



